SUBMERSION PROBE HOLDER "PEC"

Data Sheet

Submersion probe holder for pH / ORP Ø 12 probe, conductivity, ETORBH, EOLUM and ECDINDPT (inductive conductivity).

PEC

Electrodes	pH, ORP Ø 12
Max temperature	80°C
Material	PP
Length	100 cm

PEC/SN6

Electrodes	SN6 Ø12 threading PG 13.5
Other features as PEC	

PEC/IM

Electrodes	conductivity (threading 3/4")
Other features as PEC	



PEC
PEC/SN6
PEC/IM

PEC2

Elettrodi	Ø 12 threading PG 13.5
Max temperature	60°C
Material	PVC
Length	100 cm

PECAP2 immersion self-cleaning probe holder with a compressed air or water cleaning fitting operated manually or, using a LD controller, automatically.

Electrodes	Ø 12 threading PG 13.5
Other features as PEC2	



PEC2
PECAP2

PECAP/SN6 immersion self-cleaning probe holder with a compressed air or water cleaning fitting operated manually or, using a LD controller, automatically.

Electrodes	SN6 Ø 12 threading PG 13.5
Max temp. / Pressure	40°C / 1bar
Material	PVC-PP



PECAP/SN6

Via Donatori di Sangue, 1 - 02100 Rieti (Italy)
+39 074622841 | emecpumps.com

Specifications subject to change without notice | R2025


emec
SIMPLE AS WATER

IQNET CERTIFIED MANAGEMENT SYSTEM
qualityaustria SYSTEM CERTIFIED
ISO 9001:2015 No.07728/0
ISO 14001:2015 No.00997/0
ISO 45001:2018 No.01121/0


SUBMERSION PROBE HOLDER "PEC"

Data Sheet


SUBMERSION PROBE HOLDER MADE OF PP
FOR pH / REDOX PROBES INCLUDING SN6 (PG13.5) VERSION




With system to avoid "PEC" removing during probe calibration.



Tank adapter.





Via Donatori di Sangue, 1 - 02100 Rieti (Italy)
+39 074622841 | emecpumps.com

Specifications subject to change without notice | R2025

emec
SIMPLE AS WATER

IQNET CERTIFIED MANAGEMENT SYSTEM
qualityaustria SYSTEM CERTIFIED
ISO 9001:2015 No.07728/0
ISO 14001:2015 No.00997/0
ISO 45001:2018 No.01121/0

SUBMERSION PROBE HOLDER "PEC"


Data Sheet

PEC IND	
Electrode	ECDINDPT
Max temperature	40°C
Material	PVC
Length	100 cm



PEC IND

DIMENSIONS PEC IND (in mm)



Via Donatori di Sangue, 1 - 02100 Rieti (Italy)
+39 074622841 | emecpumps.com

Specifications subject to change without notice | R2025

emec SIMPLE AS WATER

IQNET CERTIFIED MANAGEMENT SYSTEM
qualityaustria SYSTEM CERTIFIED
ISO 9001:2015 No.07728/0
ISO 14001:2015 No.00997/0
ISO 45001:2018 No.01121/0


SUBMERSION PROBE HOLDER "PEC"

Data Sheet


PEC-E	
Electrode	ETORBH or EOLUM
Max temperature	80°C
Material	PP
Length	100 cm

PEC-E2	
Electrode	ETORB2
Max temperature	40°C
Material	PVC
Length	100 cm

DIMENSION PEC E (in mm)



DIMENSION PEC E2 (in mm)




Via Donatori di Sangue, 1 - 02100 Rieti (Italy)
+39 074622841 | emecpumps.com

Specifications subject to change without notice | R2025

emec SIMPLE AS WATER

IQNET CERTIFIED MANAGEMENT SYSTEM
qualityaustria SYSTEM CERTIFIED
ISO 9001:2015 No.07728/0
ISO 14001:2015 No.00997/0
ISO 45001:2018 No.01121/0

PECAP-E



Via Donatori di Sangue, 1 - 02100 Rieti (Italy)
+39 074622841 | emecpumps.com

Specifications subject to change without notice | R2025

emec
SIMPLE AS WATER

IQNET CERTIFIED MANAGEMENT SYSTEM
qualityaustria
SYSTEM CERTIFIED
ISO 9001:2015 No.07728/0
ISO 14001:2015 No.00997/0
ISO 45001:2018 No.01121/0